



CITY OF COLORADO SPRINGS

FIRE BOARD OF APPEALS AGENDA

MEETING DATE:

March 11, 2016

TIME: 8:30 A.M.

**LOCATION: Pikes Peak Regional Building Department
2880 International Circle – Hearing Room**

ADMINISTRATIVE

Approval of the February 12, 2016 meeting minutes

Contractor Licensing

Fire Alarm Contractor B

1. Name of Company: Falcon School District #49

Principal Officers: Jack Bay, Chief Operations Officer
Peter Hilts, Chief Education Officer

Applicant: Bruce Brown

RME: Bruce Brown

APPEAL ITEM

1. Request by Stacy and John Gatto for relief of 2009 IFC Appendix K as Amended by City Ordinance 12-111, Section K105.1.2 Hardened Structure – Exterior cladding, eaves and soffits shall be constructed of ignition-resistant materials approved by the *Fire Code Official*. Approved materials include, but are not limited to: fiber-cement board, stucco, masonry/brick, manufactured stone, and similar materials. Natural wood/cedar siding, hardboard, vinyl, and similar combustible materials are not allowed. Location: 3690 Outback Vista Point, Colorado Springs, CO

Respectfully submitted,


Brett T. Lacey, Fire Marshal
Secretary to the Fire Board of Appeals